



POLYURETHANE FOAM SYSTEMS



Value and Versatility for the Transportation Industry

Premium quality foam systems for OEM and repair use.





FOR THE TRANSPORTATION INDUSTRY

Touch 'n Seal® foam systems offer value and versatility ideally suited for both OEM and repair of all types of transport vehicles. In addition to the repair, structural strengthening and repair of reefer trailers, Touch 'n Seal foam systems are ideal for sound and thermal insulation of passenger vehicles, emergency response vehicles, buses and aircraft. Touch 'n Seal provides easy-to-use application systems with fast results and consistent superior quality.

FLEXIBLE FOAM SYSTEMS

Touch 'n Seal spray polyurethane foam systems are available in sizes ranging from small disposable units to 120 gallon refillable foam systems.

Formulations available:

Standard Foam

Class II disposable foam kits, 1.75 pcf, in sizes ranging from 15 - 600 board feet

Fire Retardant Foam

Class I certified, 1.75 pcf. Refillable units from 17 to 120 gallons, and disposable kits ranging from 200 - 750 board feet



Fast and efficient roof repair



Liner Bond permanently bonds aluminum roofs and inside liner panels



Side wall strengthening & insulation



Door, side wall, radius panel, floor & ceiling insulation



POLYURETHANE FOAM SYSTEMS



The convenience of disposable foam kits meets the efficiency of bulk systems in the new CPDS™ 1000



Lower investment, returnable systems are easier to set up and maintain than "foam rigs".



Ranging in size, these two-component systems are portable and ready-to-use. Ideal for smaller areas.

LINER BOND TRAILER ADHESIVE

- Faster than caulk
- Fills all voids
- Easy spray gun application
- 5X stronger than other foam adhesives
- Safer than competitive adhesives – no carcinogens
- Contains no harmful solvents and is non-flammable
- Controlled tack time for proper liner placement
- Total cure in 24 hours, reduces downtime
- Ready-to-use, portable, disposable units

Installation is easy! 3 Simple Steps:



1 Spray on prepared surface



2 Align fiberglass liner and attach



3 Brace and let cure

Caution: Contents under pressure. Contains polyisocyanates, may be irritating to eyes, skin and respiratory tract. Use only with adequate ventilation. Wear protective clothing, safety glasses and gloves. See Material Safety Data Sheet for additional information.

PRODUCT LISTING

ONE COMPONENT CYLINDERS

Item #	Description	Size	Case Qty	Pallet Qty
4004517100	Liner Bond 23 lb Complete	23 lb	1 ea	50
4004517101	Liner Bond 23 lb Replacement	23 lb	1 ea	50

1.75 PCF TWO-COMPONENT FOAM

Item #	Description	Size/Bd. Ft.	Case Qty.	Pallet Qty.
4004520015	Foam Kit 15	15	12	24
4004520200	Foam Kit 200 Complete	200	1	36
4004001200	Foam Kit 200 FR Complete	200	1	36
4004520600	Foam Kit 600 Complete	600	1	32
4004520601	Foam Kit 600 Replacement	600	1	32
4004521600	Foam Kit 600 FR Complete	600	1	32
4004521601	Foam Kit 600 FR Replacement	600	1	32
4505500750	CP-750 – 1.75 PCF FR A&B Chemicals (2 boxes)	750	1	12
4505100000	RF 17 – 1.75 PCF FR Refillable (A&B)	2,000	1 set	–
4505160000	RF 60 – 1.75 PCF FR Refillable (A&B)	6,800	1 set	–
4505112000	RF 120 – 1.75 PCF FR Refillable (A&B)	15,400	1 set	–

TWO COMPONENT FOAM DISPENSING SYSTEM

4505500055	Constant Pressure Dispensing System (CPDS 1000)	–	–	–
------------	---	---	---	---

FOAM APPLICATOR GUNS

4004590325	Spray Foam Applicator w/15' hose/accessories	–	1 ea	–
4004590335	Spray Foam Applicator w/30' hose/accessories (standard accessory pack contains: 8 conical nozzles, 2 fan nozzles, 1 wrench, 1 lube, 2 gloves)	–	1 ea	–
4505100012	Spray Foam Applicator w/12" hose outs (CPDS Refillables)	–	1 ea	–
4505500030	CPDS 1000 Spray Foam Applicator w/30' hose (assembled w/on/off valves to tanks and foam applicator)	–	1 ea	–
4004510629	One Component Bottom Load Foam Applicator	–	1 ea	–

TOUCH 'N SEAL SPRAY POLYURETHANE FR FOAM 1.75 ± .10 pcf (28.03 ± 1.60 kg/m³)

Shelf Life	1 year; unopened container
Dry time/Tack Free Time	30 – 60 seconds
Fully Cured	Approximately 1 hour
Cutable	2 – 5 minutes

TYPICAL PROPERTIES OF TOUCH 'N SEAL LINER BOND

Shelf Life	12 months
Output/Yield	275 sq. ft. (2 tanks/sidewall)
Tack Free Time	Up to 30 minutes at 70°F with 55% RH
Fully Cured	24 Hours

Caution: Contents under pressure. Contains polyisocyanates, may be irritating to eyes, skin and respiratory tract. Use only with adequate ventilation. Wear protective clothing, safety glasses and gloves. See Material Safety Data Sheet for additional information.

NOZZLES

Item #	Description	Size	Case Qty	Pallet Qty
4004529930	Nozzle Kit Clear Conical (All Two Component foams)	–	25 ea	–
4004529940	Nozzle Kit Yellow Fan (All Two Component foams)	–	25 ea	–
4004529968	Nozzle Kit Black Injection (All Two Component foams)	–	25 ea	–
4505100080	Nozzle Kit Calibration Nozzle (Refillables)	–	25 ea	–
4004590691	Nozzle Pack for Foam Kit 15	–	30 ea	–


ACCESSORIES

4004712022	Poly-Clean Foam Cleaner	12 oz	12	108
4505100040	On/Off Valve – (Tank-to-Hose) (Refillables)	–	2 ea	–
4004520006	On/Off Valve – 2 Component (Tank-to-Hose) (CPDS)	–	2 ea	–
4505100045	30' Hose Set (w/2 Hose-to-Hose couplers) (CPDS & Refillables)	–	2 ea	–
4505100035	Spray Foam Applicator w/60' Hose Kit (2 couplers, 2 On/Off Tank-to-Hose valves, 2 in-line Hose-to-Gun valves) (CPDS & Refillables)	–	1 ea	–
4505100055	10' Hose – Nitrogen Lines (Refillables)	–	2 ea	–
4505100050	In-line On/Off Valve – Hose-to-Applicator Spray Foam Gun (Refill/CPDS)	–	2 ea	–
4505100065	High Pressure Regulator – Nitrogen (Refillables)	–	1 ea	–
4505100075	150' Hose Set (CPDS & Refillables)	–	2 ea	–

TEMPERATURE CONTROL / WARMING ACCESSORIES

4505100060	Heater Band (w/controls) – 17 Gallon Refill	–	1 ea	–
4505100100	Heated Hose System – (50' primary hose set, temp gauges, On/Off valves, controller & spray foam applicator w/12" hoses) (Refillables Only)	–	1 ea	–
4505100105	Heated Hose Extension – 50' hose set (Refillables)	–	1 ea	–
4505100110	Controller – Heated Hose (Refillables)	–	1 ea	–
4505100085	Temperature Gauge Assembly (Refillables)	–	1 ea	–
4505500100	Hose Warming Wrap – 27' (both hoses) (CPDS & Refillables)	–	1 ea	–
4505500115	Warming Blanket – 12" Cylinders (600, 750, 1000, 1200)	–	1 ea	–
4505500105	CPDS 1000 Cover	–	1 ea	–
4505500110	CPDS 1000 Forced Air Heating Unit	–	1 ea	–
4505100115	Warming Blanket – 17 Gal. Refillable	–	1 ea	–
4505100125	Warming Blanket – 60 Gal. Refillable	–	1 ea	–

REFILL SYSTEMS



Buses and RVs



Emergency Vehicles



Dairy Trucks



Aircraft



Refrigerated Equipment



Trailers



Convenience Products

866 Horan Drive, Fenton, MO 63026-2416 USA
1-800-325-6180 • www.touch-n-seal.com



www.touch-n-seal.com



800.325.6180

52001-041910-TNS